

Brazing, High Temperature Brazing and Diffusion Bonding

LÖT 2013

Lectures and Posters of the 10th International Conference
taking place in Aachen on 18th to 20th June 2013

Organised by



In kind collaboration with
ASM International, Materials Park,
American Welding Society (AWS), Miami,
European Association for Brazing and Soldering (EABS), Congleton,
L'Institut Belge de la Soudure (IBS), Brussels,
International Institute of Welding (IIW), Villepinte,
Nederlands Instituut voor Lastechniek (NIL), Zoetermeer,
Brazing and Soldering Society – an affiliated Association of DVS, Düsseldorf

Table of contents

Preface

Opening

C. Hagelüken, Hanau

Recycling of technology metals – opportunities and challenges to secure a sustainable supply for the future	1
---	---

Foils and tapes

A. E. Shapiro, Columbus/USA, Y. Flom, Greenbelt/USA, V. S. Moxson and V. A. Duz, Hudson/USA

Cost-effective sintered brazing foils for joining titanium alloys and ceramics	7
--	---

U. Holländer, Fr.-W. Bach, K. Möhwald, Hannover/D, S. Kirchberg und G. Ziegmann, Clausthal/D

Injection molding – characterization and application of polymer bonded nickel based braze metal preforms for high temperature brazing processes	11
---	----

Joining of titanium

M. K. Karfoul and A. S. Muhrat, Homs/SY

Low-melting brazing Al-Cu-Ni-Ti filler alloys designed for joining titanium under normal ambient air conditions	17
---	----

N. Weyrich, L. Duarte, C. Leinenbach, Dübendorf/CH, und D. Lado, Porto/P

Joining of titanium and nickel at temperatures below 450 °C	22
---	----

M. H. Biglari, L. C. P. Krassenburg, R. P. J. Denteneer, J. H. G. Brom, Son/NL, and A. A. Kodentsov, Eindhoven/NL

Low pressure diffusion bonding of titanium alloys	28
---	----

H. Zhao, H. Xiong, H. Pan, J. Huai and B. Chen, Beijing/CN

Brazing of titanium alloy using Ti-Zr-Cr-Cu-Ni and Ti-Zr-Cr-Cu-Ni-Co filler metals	31
--	----

Brazing of ceramics

A. Kaletsch, J. Hummes, E. M. Pfaff and C. Broeckmann, Aachen/D

Mechanical properties of reactive air brazed BSCF/steel-joints at high temperatures	36
---	----

K. Bobzin, N. Kopp and S. Wiesner, Aachen/D

Influence of filler and base material on the pore development during Reactive Air Brazing	41
---	----

W. Tillmann, N. Sievers, J. Pfeiffer, L. Wojarski, R. Zielke, Dortmund/D, A. Poenicke and J. Schilm, Dresden/D	
Examination of the porosity in reactive air brazed joints by ultrasonic testing	46
S. M. Gross-Barsnick, B. Cela Greven, P. Batfalsky, T. Koppitz, G. Natour, L. Blum, Jülich/D, and R. Conradt, Aachen/D	
Recent results in SOFC glass-ceramic sealant technology development	50
H.-P. Martin, A. Triebert and B. Matthey, Dresden/D	
Ta-Ni-braze for high temperature stable ceramic – ceramic junctions	54

Surface technology

K. Bobzin, N. Kopp, S. Puidokas, K. Schickle, A. Korsten and H. Fischer, Aachen/D	
Research and development of a cytocompatible titanium-cobalt-based active brazing coating	59
A. Rost, A. Pönicke, J. Schilm and A. Michaelis, Dresden/D	
Metallisation and surface coating of ceramic thermoelectric materials	63
V. D. Nguyen, U. Füssel, M. Pejko, K. Andrusch, Dresden/D, and B. Hommel, Chemnitz/D	
Friction surfacing by soldering and the application to produce the press fit/pressure-soldered-joint	67

Industrial application

I. Reinkensmeier, S. Piegert, Berlin, and T. Kunadt, Mülheim an der Ruhr/D	
Design criteria for high temperature brazing of burners for stationary gas turbines	72
G. Waning, Bielefeld/D	
Protective atmospheres in heat treatment furnaces	77
Y. Miyazawa, K. Saito, T. Fukikoshi, M. Abe, T. Ariga, Hiratsuka/J, and T. Takizawa, Saitama/J	
Brazing of ferrite stainless steel to austenite stainless steel	83
M. Aida, S. Takahashi, K. Kanda, K. Watanabe and T. Ariga, Hiratsuka/J	
Manufacturing of exhaust gas recirculation (EGR) heat exchanger (cooler) for automotive use using an Oxynon® furnace	87

Arc and beam brazing

D. Faidel, W. Behr, S. M. Groß-Barsnick, G. Natour and U. Reisgen, Aachen/D	
Laser-supported glass sealant repair process for untight solid oxide fuel cell stacks	92
T. A. Deißer, Witten/D, H. Schuster, M. Schnick, Finsterwalde/D, and T. Mota, Witten/D	
Experiences in joining mild steel sheets using a TIG brazing technology with increased energy density	97

U. Reisgen, S. Olschok, and A. Backhaus, Aachen/D	
Electron beam brazing of gamma titanium aluminide for linear and circumferential joints	103
H. Li, B.-H. Tao, Z.-X. Li and F. Guo, Beijing/CN	
Investigation on wetting behavior of Al-based filler on TiNi-SMA substrate by ultrasonic-assisted laser brazing	108
 Diffusion bonding	
S. Jahn, S. Dahms, F. Gemse and S. Sändig, Jena/D	
Diffusion bonding systems – state of the art	113
N. Bouquet, E. Rigal, S. Chomette Grenoble/F, F. Bernard and O. Heintz Dijon/F	
Interface formation during HIP-bonding of austenitic stainless steel	118
A. Kaabi, Y. Bienvenu, Evry/France, L. Prévond and N. Collard, Paris/F	
Roll (and diffusion) bonding for architected bi-metallic laminates: bonding mechanisms and applications	123
 Nanotechnology	
E. Hofmann, E. Kallies, G. Dietrich, M. Rühl, E. Beyer, U. Füssel, Dresden/D, and J. Zähr, Ottendorf-Okrilla/D	
Application of reactive multilayers for brazing of solar cells	129
T. Röhrich and A. Oestreicher, Berlin/D	
Pressureless joining with silver nanoparticles at low temperatures	133
S. Hausner and B. Wielage, Chemnitz/D	
Characterization of an Ag-nanopaste with respect to the sintering and thermal behavior for low-temperature joining	136
 Carbides and ceramics	
D. Schnee, C. Zenk, Hanau/D, T. Hafner, U. Meyer, Balingen/D, M. Magin and S. Rassbach, Mamer/L	
Influence of copper interlayer thickness on joint strength for cemented carbide tipped saw blades	143
V. Chaumat and G. Roux, Grenoble/F	
Multi-staged brazing using the BraSiC [®] process for the fabrication of very large and/or complexe SiC-based components	147
W. Tillmann, J. Pfeiffer, L. Wojarski and S. Yurchenko, Dortmund/D	
Evaluation of the wetting behaviour of active brazes as a function of the surface conditions of silicon carbide substrates	151
J. Hamje, H. Wiche and V. Wesling, Clausthal-Zellerfeld/D	
Joining of SLM-generated carbide inlays for regeneration in mould construction	157

Joining of C/SiC composite with a AuPd(Co, Ni)-V brazing filler metal 162

Corrosion

M. Schimpfermann, D. Schnee, Hanau/D, and C. Strobl, Ingolstadt/D

Corrosion behaviour of silver-based brazing filler metals in conjunction with stainless steels 166

S. Iwao, A. Turuta, M. Yoshino and S. Kuroda, Susono/J

Corrosion behavior of A3003 alloy after brazing in HCl-CH₃COOH mixed solution 171

I. Hoyer, S. Weis and M. Groll, Chemnitz/D

Nickel ions in potable water and their migration out of brazing fillers and brazed joints 176

Joining of aluminium

K. Eckhard, H. Janssen, Bonn/D, and R. Sicking, Kleve/D

Recent developments in fluxless brazing of aluminium heat exchangers 182

S. G. Marek and C. F. Darling, Cudahy/USA

Optimal brazing and soldering conditions and consumables for copper to aluminum transition joints 184

M. Lohrey, Stuttgart/D, U. Füssel, Dresden/D, and M. Türpe, Stuttgart/D

Behaviour of the aluminium oxide layer during heat treatment and the resulting effects on brazeability 192

W. Tillmann, L. Wojarski, J. Pfeiffer and T. Krusche, Dortmund/D

Ultrasonic-assisted TLP brazing of aluminum and aluminum to steel in air using inductive heating and PVD deposited filler metals 199

A. Langohr, M. A. Swider, E. Wulf, K. Möhwald, T. Hassel, H. J. Maier, Garbsen/D, and F. Möller, Bremen/D

Development of flux free filler metals and processes for brazing aluminium 205

Physics and simulation

K. Bobzin and N. Kopp, Aachen/D

A precise approach to describe wetting in brazing processes 212

S. Piegert, Berlin/D, and I. Reinkensmeier, Fröndenberg/D

Optimisation and characterisation of braze joints – simulation and experiment 216

I. N. Pashkov, V. E. Bazhenov, T. A. Bazlova and A. Anohin, Moscow/RU

Physical modelling of brazed joint structure forming under non-equilibrium solidification conditions 223

Dynamic strength

M. Koster, C. Kenel, A. Lis and C. Leinenbach, Dübendorf/CH	
Integrity of brazed steel joints under quasi-static and cyclic loading	227
W. Tillmann, L. Wojarski, M. Manka, F. Walther, S. Myslicki and G. Frieling, Dortmund/D	
Fatigue behavior of brazed AISI 304 joints using Au-fillers	232
C. Wilmes and A. Esderts, Clausthal-Zellerfeld/D	
Estimation of fatigue strength of solder-connected thin sheets	237

Fillers and processes

U. Persson, O. Mårs and M. Strojczek, Höganäs/SE	
Corrosion resistance of BrazeLet™ Ni613 and BrazeLet™ F300 in different environments compared to standard nickel alloys	242
D. K. Basri, L. Sisamouth, Y. Farazila, M. Hamdi, Kuala Lumpur/ML, Y. Miyazawa and T. Ariga, Hiratsuka/J	
Investigation on Ag-Cu-Sn brazing filler metals on copper brazed joint	243

Poster session

U. Zöllig and H.-W. Schweizer, Cologne/D	
Energy saving potential for the use of diffusion pumps in high-vacuum brazing furnaces	247
S. Kasch, D. Conrad, H. Müller and G. Jacob, Jena/D	
High temperature joining of ceramics and sapphire through laser-based processes	251
W. Tillmann, C. Liu and L. Wojarski, Dortmund/D	
TLP brazing of titanium and steel using silver-copper-filler deposited by arc-PVD process ...	255
K. Bobzin, N. Kopp, S. Puidokas, Aachen/D, W. Tillmann, L. Wojarski, M. Manka and C. Liu, Dortmund/D	
Reliable design procedure of iron-based braze joints	261
S. Weis and B. Wielage, Chemnitz/D	
Corrosion behaviour of ultrasound-assisted resistance soldered magnesium joints	267
U. Reisgen, C. Geffers, K. Willms, M. Angerhausen, K. Deckert, S. Hof, F. Prenger and J. Wisniewski, Aachen/D	
Low-energy thermal joining with zinc and tin base solder for application in vehicle construction	272
A. Pönicke, A. Rost, J. Schilm and A. Michaelis, Dresden/D	
Active metal brazing of various metals on nitride ceramics	278

T. Yamazaki, H. Tsuda, S. Sakaguchi, T.-T. Ikeshoji and A. Suzumura, Tokyo/J	
Reaction product between diamond and manganese powder heated by condensed infrared rays for metallisation	283
J. Hayashi, Y. Miyazawa and T. Ariga, Kanagawa/J	
Spot brazing of CP-Ti to stainless steel by combination brazing filler metals	287
Y. Miyazawa, S. Kogi, Y. Hanada, T. Kajiura and T. Ariga, Hiratsuka/J	
Wetting and spreading behaviour of molten brazing filler metal on metallic substrate	292
A. Miriyev, S. Kalabukhov, E. Tuval, A. Stern and N. Frage, Beer-Sheva/IL	
Titanium to steel diffusion bonding using spark plasma sintering (SPS) technique	295
H. Macias, Huntington Beach/USA	
Copper brazing in ceramic-to-metal assemblies for hermetic applications	300
H. Macias and K. Chase, Huntington Beach/USA	
Hermetic sealing of sapphire windows	302
J. P. Bergmann, F. Petzoldt, R. Schürer and S. Schneider, Ilmenau/D	
Aging behavior of aluminium-copper mixed compounds	304
 Poster session industrial co-operative research	
T. Uhlig, S. Weis, S. Schuberth and B. Wielage, Chemnitz/D	
New Co-based brazing fillers for high-temperature applications	309
 List of authors	 312